



SPEC SHEET

SPS-25

MODEL

HANKS



CATALOG SIZES

50x70 100x60
60x80 120x60
140x60

DESCRIPTION

Custom mirror with 7mm outer sandblasted edge, aluminium-lined frame and frontal light.

ASSEMBLY MATERIALS

ELECTRICAL MATERIALS

| | |
|----------------|---|
| LED Strip | <i>LED IP44 SMD 120 dots/m 12v: - Bi-LED light (3000-6000K)</i> |
| Transformer | <i>Class II 220-240V 50Hz IP44</i> |
| Connection box | <i>IP44 2 poles</i> |
| Features | <i>Frontal IR sensor, demister, light dimmer</i> |

NON ELECTRICAL MATERIALS

| | |
|------------------|---|
| Frame | <i>Aluminium-lined, thermoplastic frame</i> |
| Back frame | <i>-</i> |
| Glass | <i>Mirror glass. 4mm. Polished edge</i> |
| Hangers | <i>Galvanized steel</i> |
| General adhesive | <i>Neutral silicon for glass</i> |
| LED adhesive | <i>Fast-drying adhesive</i> |
| Wall anchors | <i>Plugs+Hooks (2+2) not for drywall</i> |
| Protections | <i>Corner protectors (x2)</i> |
| Instructions | <i>CLBN LED Mirror instructions</i> |

PACKAGING





| | |
|---------------------|---|
| Interior protection | <i>Expanded PS slotted (35x40mm)</i> |
| Outer package | <i>Cardboard box Cardboard corner protectors (x4)</i> |
| ID label | <i>100x150 label (client / ref. / descrip.) 100x38 label (client / ref. / descrip.)</i> |

CERTIFICATIONS



AIDIMME: 22003059 (SECURITY)

IMQ TECNOCREA: GENEX210101.00 (HARMONIZED)

DRAWINGS



140x60



FEATURES



REF: AV


DEMISTER FILM. Heated film installed on the back of the mirror.

*Up to 120cm: 1 unit. From 120 to 150cm: 2 units. 160cm or more: 3 units.



FRONTAL INFRARED SENSOR. Acts to turn on/off LED and Demister, change Bi-LED ambient lighting and dim or increase light intensity.

OPTIONAL ELEMENTS



REF: BT

BLUETOOTH SPEAKERS. Pair of BT speakers installed on the back of the mirror.

*Touch sensor included.



REF: AM

MAGNIFYING GLASS. 3x magnifying glass with a diameter of 12. Sticks magnetically to the surface of the mirror.

POWERS AND LUMENS

MIRROR

| SIZE | POWER | LUMENS |
|--------|-------|---------|
| 50x70 | 16 W | 1750 lm |
| 60x80 | 22 W | 2350 lm |
| 100x60 | 25 W | 3650 lm |
| 120x60 | 27 W | 3900 lm |
| 140x60 | 35 W | 4400 lm |

OPTIONAL ELEMENTS

| | POWER | LUMENS |
|----------------------|-------|--------|
| DEMISTER | | |
| 40X40* | 40 | X |
| MAGNIFICATION | X | X |
| BT SPEAKERS | 3 | X |

* The standard size of the demister film used by ID BATH AND SPA Ltd is 40x40cm. However, the size of the mirror or the placement of optional elements may affect its installation, requiring the use of panels with different dimensions.